




Ambrosia, Ciszak Dalmas

The starting point for the Ambrosia was to bring back the traditional Linestra lamp to update it and show that a technical, resolute design can also be poetic.

The Linestra was initially a line of light, which transitioned into a modular system that can be extended to adapt to any space.



Discover more at marset.com

Ambrosia 120

Code	Finish	CCT
A704-001-15-22K	● Matt Gold	22K
A704-001-15-27K	● Matt Gold	27K
A704-001-15-30K	● Matt Gold	30K
A704-001-16-22K	● Black	22K
A704-001-16-27K	● Black	27K
A704-001-16-30K	● Black	30K

Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.


Product type: Pendant / Ceiling
 Light source Ambrosia 22K: LED SMD 24Vdc 19,2W 2200K CRI80 2116lm
 Luminaire Ambrosia 22K: (Power supply not included) 1885lm

Light source Ambrosia 27K: LED SMD 24Vdc 19,2W 2700K CRI90 2028lm
 Luminaire Ambrosia 27K: (Power supply not included) 1891lm

Light source Ambrosia 30K: LED SMD 24Vdc 19,2W 3000K CRI90 2256lm
 Luminaire Ambrosia 30K: (Power supply not included) 1927lm

Weight: Net 2,4 kg – Gross 3 kg
 Package: 29 x 10 x 135 cm - 2 kg – VOL - 0,04 m³
 8 x 8 x 128 cm - 1 kg – VOL - 0,01 m³

Product notes: 24V remote power supply to be ordered separately.
 LED included



Dimmable



CE


ERC

UK

CA

(1) The height can be increased by means of the 40 or 60 cm poles (max. 3 units.) They can be combined.

Wire installation: Hardwired / Recessed



Ambrosia 180

Code	Finish	CCT
A704-002-15-22K	● Matt Gold	22K
A704-002-15-27K	● Matt Gold	27K
A704-002-15-30K	● Matt Gold	30K
A704-002-16-22K	● Black	22K
A704-002-16-27K	● Black	27K
A704-002-16-30K	● Black	30K

Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.


Product type: Pendant / Ceiling
 Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI80 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2823lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3042lm
 Luminaire Ambrosia 27K: (Power supply not included) 2833lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3384lm
 Luminaire Ambrosia 30K: (Power supply not included) 2886lm

Weight: 3,1 kg – Gross 3,6 kg
 Package: 29 x 10 x 135 cm - 2 kg – VOL - 0,04 m³
 8 x 8 x 188 cm - 1,6 kg – VOL - 0,01 m³

Product notes: 24V remote power supply to be ordered separately.
 LED included



(1) The height can be increased by means of the 40 or 60 cm poles (max. 3 units). They can be combined..

Wire installation: Hardwired / Recessed

Ambrosia 210

Code	Finish	CCT
A704-003-15-22K	● Matt Gold	22K
A704-003-15-27K	● Matt Gold	27K
A704-003-15-30K	● Matt Gold	30K
A704-003-16-22K	● Black	22K
A704-003-16-27K	● Black	27K
A704-003-16-30K	● Black	30K

Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.


Product type: Pendant / Ceiling
 Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI80 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3042lm
 Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3384lm
 Luminaire Ambrosia 30K: (Power supply not included) 2865lm



Weight: Net 3,1 kg – Gross 3,6 kg
 Package: 29 x 10 x 135 cm - 2 kg – VOL - 0,04 m³
 8 x 8 x 68 cm - 0,6 kg – VOL - 0,004 m³
 8 x 8 x 128 cm - 1 kg – VOL - 0,01 m³

Product notes: 24V remote power supply to be ordered separately.
 LED included



(1) The height can be increased by means of the 40 or 60 cm poles (max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed



Ambrosia 315

Code	Finish	CCT
A704-004-15-22K	● Matt Gold	22K
A704-004-15-27K	● Matt Gold	27K
A704-004-15-30K	● Matt Gold	30K
A704-004-16-22K	● Black	22K
A704-004-16-27K	● Black	27K
A704-004-16-30K	● Black	30K

Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Pendant / Ceiling
 Light source Ambrosia 22K: LED SMD 24Vdc 43,2W 2200K CRI80 4761lm
 Luminaire Ambrosia 22K: (Power supply not included) 4220lm

Light source Ambrosia 27K: LED SMD 24Vdc 43,2W 2700K CRI90 4563lm
 Luminaire Ambrosia 27K: (Power supply not included) 4235lm

Light source Ambrosia 30K: LED SMD 24Vdc 43,2W 3000K CRI90 5076lm
 Luminaire Ambrosia 30K: (Power supply not included) 4314lm


Weight: Net 5,1 kg – Gross 5,9 kg

Package: 29 x 10 x 225 cm - 3,5 kg – VOL - 0,065 m³

8 x 8 x 98 cm - 0,8 kg – VOL - 0,006 m³

8 x 8 x 188 cm - 1,6 kg – VOL - 0,01 m³


Product notes: 24V remote power supply to be ordered separately.
 LED included



(1) The height can be increased by means of the 40 or 60 cm poles (max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed

Ambrosia 315 + 2 Pole 60



Pole Ambrosia 40

Code	Finish
A704-005-15	● Matt Gold
A704-005-16	● Black

Materials: Metal
 Structure: Metal

Product type: Accessory



Pole Ambrosia 60

Code	Finish
A704-006-15	● Matt Gold
A704-006-16	● Black



Materials: Metal
 Structure: Metal

Product type: Accessory



Ambrosia canopy

Code	Finish	Dimming	Class
A666-214-15	● Matt Gold - 20W 24V	Triac	II
A666-214-16	● Black - 20W 24V	Triac	II
A666-216-15	● Matt Gold - 50W 24V	Triac	II
A666-216-16	● Black - 50W 24V	Triac	II
A666-217-15	● Matt Gold - 35W 24V	DALI	I
A666-217-16	● Black - 35W 24V	DALI	I
A666-218-15	● Matt Gold - 60W 24V	DALI	I
A666-218-16	● Black - 60W 24V	DALI	I



Product type: Ceiling
 Weight: Weight 0,7 kg – Gross 1 kg
 Package: 34 x 21 x 7 cm - 1 kg - VOL - 0,01 m³

Materials
 Structure: Metal

Dimmable



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Ambrosia recessed power supply

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-227	35W - 24V	DALI	II
968-206	60W - 24V	DALI	II

Dimmable



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Product type: Power supply



Ambrosia A 60 left NEW

Code	Finish	CCT
A704-015-15-22K	● Matt Gold	22K
A704-015-15-27K	● Matt Gold	27K
A704-015-15-30K	● Matt Gold	30K
A704-015-16-22K	● Black	22K
A704-015-16-27K	● Black	27K
A704-015-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel


Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 9,6W 2200K CRI80 1058lm
 Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 9,6W 2700K CRI90 1014lm
 Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 9,6W 3000K CRI90 1028lm
 Luminaire Ambrosia 30K: (Power supply not included)

Product notes: 24V remote power supply to be ordered separately.
 LED included



Dimmable



Wire installation: Hardwired / Recessed



Ambrosia A 60 right NEW

Code	Finish	CCT
A704-016-15-22K	● Matt Gold	22K
A704-016-15-27K	● Matt Gold	27K
A704-016-15-30K	● Matt Gold	30K
A704-016-16-22K	● Black	22K
A704-016-16-27K	● Black	27K
A704-016-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel


Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 9,6W 2200K CRI80 1058lm
 Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 9,6W 2700K CRI90 1014lm
 Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 9,6W 3000K CRI90 1028lm
 Luminaire Ambrosia 30K: (Power supply not included)

Product notes: 24V remote power supply to be ordered separately.
 LED included



Dimmable



Wire installation: Hardwired / Recessed



Ambrosia A 90 left NEW

Code	Finish	CCT
A704-017-15-22K	● Matt Gold	22K
A704-017-15-27K	● Matt Gold	27K
A704-017-15-30K	● Matt Gold	30K
A704-017-16-22K	● Black	22K
A704-017-16-27K	● Black	27K
A704-017-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel


Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 14,4W 2200K CRI80 1587lm
 Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 14,4W 2700K CRI90 1521lm
 Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 14,4W 3000K CRI90 1692lm
 Luminaire Ambrosia 30K: (Power supply not included)

Product notes: 24V remote power supply to be ordered separately.
 LED included



Dimmable



Wire installation: Hardwired / Recessed



Ambrosia A 90 right NEW

Code	Finish	CCT
A704-018-15-22K	● Matt Gold	22K
A704-018-15-27K	● Matt Gold	27K
A704-018-15-30K	● Matt Gold	30K
A704-018-16-22K	● Black	22K
A704-018-16-27K	● Black	27K
A704-018-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel


Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 14,4W 2200K CRI80 1587lm
 Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 14,4W 2700K CRI90 1521lm
 Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 14,4W 3000K CRI90 1692lm
 Luminaire Ambrosia 30K: (Power supply not included)


Product notes: 24V remote power supply to be ordered separately.
 LED included



Dimmable



Wire installation: Hardwired / Recessed



Ambrosia A 210 NEW

Code	Finish	CCT
A704-021-15-22K	● Matt Gold	22K
A704-021-15-27K	● Matt Gold	27K
A704-021-15-30K	● Matt Gold	30K
A704-021-16-22K	● Black	22K
A704-021-16-27K	● Black	27K
A704-021-16-30K	● Black	30K

Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel


Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI80 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2802lm


Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3042lm
 Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3384lm
 Luminaire Ambrosia 30K: (Power supply not included) 2865lm

Product notes: 24V remote power supply to be ordered separately.
 LED included



Dimmable





Wire installation: Hardwired / Recessed

Disk accessory NEW

Code	Finish
A704-022-15	● Matt Gold
A704-022-16	● Black

Materials: Metal
 Structure: Metal

Product type: Accessory
 Accessory used to hide the driver behind the canopy.
 Two units are required for Ambrosia A 210, one for each canopy.



Power supply Dimmable

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-227	35W - 24V	DALI	II
968-206	60W - 24V	DALI	II

Dimmable



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Product type: Power supply

