

# Honicé

IT Honicé si ispira alla bellezza e maestosità di una delle pietre più antiche del mondo: l'onice. Secondo la leggenda l'onice sarebbe stata creata quando Cupido tagliò le unghie a Venere. Poichè le parti di una creatura divina non sono mortali, le divinità le trasformarono in una gemma, l'Onice. C'è della magia in lei, una pelle sottile, trasparente pur se di pietra. Honicé rende luminosa e leggera la solidità del marmo.

EN Honicé is inspired by the beauty and majesty of onyx, one of the oldest stones in the world. Legend has it that onyx was created when Cupid cut Venus' nails. Since the parts of a divine being cannot be mortal, the gods transformed them into a gemstone, onyx. It has something magical about it, a thin skin of stone, but transparent. Honicé brings brightness and luminosity to the solidity of marble.

DESIGN BY  
ORIANO FAVARETTO


SUSPENSION  
APPLIQUE  
TABLE LAMP  
FLOOR LAMP

MASIERO DIMORE

HONICÉ S80



Honicé



MASIERO DIMORE



Honicé



HONICÉ A65



MASIERO DIMORE



HONICÉ A37

Honicé



HONICÉ TL



HONICÉ STL



MASIERO DIMORE

Honicé

# Honicé

Struttura in metallo con diffusore in onice naturale. Illuminazione a LED.

Metal frame with natural onyx diffuser. LED lighting.

Gestell aus Metall mit Diffusor aus natürlichem Onyx. LED-Beleuchtung.

Estructura de metal con difusor en ónix natural. Iluminación LED.

Structure en métal avec diffuseur en onyx naturel. Éclairage à LED.

Металлический каркас с рассеивателем из природного оникса. Светодиодное освещение.

这种灯具有金属结构，然而光扩散是缟玛瑙。LED照明。

هيكل معدني مع ناشر من الأونيكس الطبيعي. إضاءة ليد.



v99 Oro opaco verniciato  
Painted matt gold




g01 Brunito\*  
Burnished

\*NOT AVAILABLE FOR HONICÉ S80 AND HONICÉ S50




Onice  
Onyx


HONICÉ S200	
W	200 cm / 78.70"
D	8 cm / 3.10"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	21,1 W CRI>95 3000 K – 2250 NOMINAL LM
DOWN	44,46 W CRI>95 3000 K – 4742 NOMINAL LM
ON REQUEST	
UP	21,1 W CRI>95 2700 K – 2145 NOMINAL LM
DOWN	44,46 W CRI>95 2700 K – 4520 NOMINAL LM
DIMMABLE	
0-10V	




HONICÉ S150	
W	150 cm / 59.10"
D	8 cm / 3.10"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	17 W CRI>95 3000 K – 1813 NOMINAL LM
DOWN	33,5 W CRI>95 3000 K – 3573 NOMINAL LM
ON REQUEST	
UP	17 W CRI>95 2700 K – 1728 NOMINAL LM
DOWN	33,5 W CRI>95 2700 K – 3405 NOMINAL LM
DIMMABLE	
0-10V	




HONICÉ S100	
W	100 cm / 39.40"
D	8 cm / 3.10"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	9,36 W CRI>95 3000 K – 998 NOMINAL LM
DOWN	21,1 W CRI>95 3000 K – 2250 NOMINAL LM
ON REQUEST	
UP	9,36 W CRI>95 2700 K – 951 NOMINAL LM
DOWN	21,1 W CRI>95 2700 K – 2145 NOMINAL LM
DIMMABLE	
0-10V	




HONICÉ A65	
W	65 cm / 25.60"
D	10 cm / 3.90"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	5,8 W CRI>95 3000 K – 618 NOMINAL LM
DOWN	5,8 W CRI>95 3000 K – 618 NOMINAL LM
ON REQUEST	
UP	5,8 W CRI>95 2700 K – 589 NOMINAL LM
DOWN	5,8 W CRI>95 2700 K – 589 NOMINAL LM
DIMMABLE	
1-10V + PUSH	




HONICÉ A37	
W	37 cm / 14.60"
D	10 cm / 3.90"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	3,51 W CRI>95 3000 K – 375 NOMINAL LM
DOWN	3,51 W CRI>95 3000 K – 375 NOMINAL LM
ON REQUEST	
UP	3,51 W CRI>95 2700 K – 357 NOMINAL LM
DOWN	3,51 W CRI>95 2700 K – 357 NOMINAL LM
DIMMABLE	
1-10V + PUSH	




HONICÉ S70	
W	70 cm / 27.60"
D	8 cm / 3.10"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	7 W CRI>95 3000 K – 746 NOMINAL LM
DOWN	15 W CRI>95 3000 K – 1600 NOMINAL LM
ON REQUEST	
UP	7 W CRI>95 2700 K – 711 NOMINAL LM
DOWN	15 W CRI>95 2700 K – 1525 NOMINAL LM
DIMMABLE	
0-10V	




HONICÉ S80	
W	80 cm / 31.50"
D	80 cm / 31.50"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	28,1 W CRI>95 3000 K – 2997 NOMINAL LM
DOWN	60,85 W CRI>95 3000 K – 6490 NOMINAL LM
ON REQUEST	
UP	28,1 W CRI>95 2700 K – 2856 NOMINAL LM
DOWN	60,85 W CRI>95 2700 K – 6186 NOMINAL LM
DIMMABLE	
0-10V	




HONICÉ S50	
W	50 cm / 19.70"
D	50 cm / 19.70"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	15,21 W CRI>95 3000 K – 1622 NOMINAL LM
DOWN	32,76 W CRI>95 3000 K – 3494 NOMINAL LM
ON REQUEST	
UP	15,21 W CRI>95 2700 K – 1546 NOMINAL LM
DOWN	32,76 W CRI>95 2700 K – 3330 NOMINAL LM
DIMMABLE	
0-10V	



HONICÉ TL	
W	38 cm / 15.00"
D	16 cm / 6.30"
H	48 cm / 18.90"
STANDARD INTEGRATED LED LIGHTING	
UP	6 W CRI>95 3000 K – 640 NOMINAL LM
DOWN	6 W CRI>95 3000 K – 640 NOMINAL LM
ON REQUEST	
UP	6 W CRI>95 2700 K – 610 NOMINAL LM
DOWN	6 W CRI>95 2700 K – 610 NOMINAL LM
DIMMABLE	
OWN BUTTON	




HONICÉ STL	
W	38 cm / 15.00"
D	16 cm / 6.30"
H	160 cm / 63.00"
STANDARD INTEGRATED LED LIGHTING	
UP	6 W CRI>95 3000 K – 640 NOMINAL LM
DOWN	6 W CRI>95 3000 K – 640 NOMINAL LM
ON REQUEST	
UP	6 W CRI>95 2700 K – 610 NOMINAL LM
DOWN	6 W CRI>95 2700 K – 610 NOMINAL LM
DIMMABLE	
OWN BUTTON	



## SINGLE CANOPIES

### SINGLE CANOPY



SIZE		FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
W	35,5 cm / 14.00"	● V99	● V99	HONICÉ S200
D	8 cm / 3.10"	● G01*	● G01*	HONICÉ S150
H	5,2 cm / 2.00"			HONICÉ S100
				HONICÉ S70
				HONICÉ S80
				HONICÉ S50

\*NOT AVAILABLE FOR HONICÉ S80  
AND HONICÉ S50