



## Dipping Light, Jordi Canudas

Beyond its function as a lamp, the Dipping Light seeks to excite. When it's turned on, its different shades of paint sift the light, creating a magical ambient effect. When it's off, its colored glass sphere is an object charged with beauty, and eye-

catching design piece for a shelf, bedside, or table. The various layers of paint draw concentric circles and capture the light, moderating its intensity. The paint becomes the shade, colouring and texturizing the light.



Discover more at [marset.com](http://marset.com)




## Dipping Light

Code	Finish
A691-001	White - Brushed Brass
A691-060	White - Graphite
A691-002	Blue - Brushed Brass
A691-061	Blue - Graphite
A691-003	Green - Brushed Brass
A691-062	Green - Graphite
A691-004	Amber - Brushed Brass
A691-063	Amber - Graphite
A691-005	Pink - Brushed Brass
A691-064	Pink - Graphite

Materials: Body: Metal  
Diffuser: Brilliant white blown glass globe with layered paint  
Dimmable: No

Product type: Table  
Light source: LED SMD 700mA 2,2W 2700K CRI90 216lm  
Luminaire: 90 - 264 VAC 3,72W 123lm  
Weight: Net 1,2 kg – Gross 1,8 kg  
Package: 35 x 35 x 18 cm – 1,8 kg Vol – 0,011 m<sup>3</sup>



Cable length: 2 m  
Wire installation: Plug-in  
Color cord: Black  
Switch location: In-line




## Dipping Light S

Code	Finish
A691-066	White - Brushed Brass
A691-067	White - Graphite
A691-068	Blue - Brushed Brass
A691-069	Blue - Graphite
A691-070	Green - Brushed Brass
A691-071	Green - Graphite
A691-072	Amber - Brushed Brass
A691-073	Amber - Graphite
A691-074	Pink - Brushed Brass
A691-075	Pink - Graphite


Materials  
 Body: Metal  
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes  
 Integrated dimmer: Yes  
 Dimming protocols: Progressive dimmer from 0 to 100

Product type: Table  
 Light source: LED SMD 700mA 8,6W 2700K CRI90 765lm  
 Luminaire: 85 - 264 VAC 11,56W  
 Weight: Net 1,4 kg – Gross 2,5 kg  
 Package: 17 x 35 x 17 cm – 1,4 kg Vol – 0,009 m<sup>3</sup>  
 25 x 25 x 31 cm – 1,1 kg Vol – 0,02 m<sup>3</sup>  
 LED included



Cable length: 2 m  
 Wire installation: Plug-in  
 Color cord: Black  
 Switch location: In-line




## Dipping Light M

Code	Finish
A691-007	White - Brushed Brass
A691-078	White - Graphite
A691-008	Blue - Brushed Brass
A691-079	Blue - Graphite
A691-009	Green - Brushed Brass
A691-080	Green - Graphite
A691-010	Amber - Brushed Brass
A691-081	Amber - Graphite
A691-011	Pink - Brushed Brass
A691-082	Pink - Graphite

Materials  
 Body: Metal  
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes  
 Integrated dimmer: Yes  
 Dimming protocols: Progressive dimmer from 0 to 100

Product type: Table  
 Light source: LED SMD 700mA 8,6W 2700K CRI90 765lm  
 Luminaire: 85 - 264 VAC 11,56W 312lm  
 Weight: Net 3,3 kg – Gross 5,3 kg  
 Package: 34 x 26 x 26 cm – 2,9 kg Vol – 0,022 m<sup>3</sup>  
 41 x 41 x 41 cm – 2,4 kg Vol – 0,068 m<sup>3</sup>  
 LED included



Cable length: 1,75 m  
 Wire installation: Plug-in  
 Color cord: Black  
 Switch location: In-line




## Dipping Light Portable

Code	Finish
A691-530	● White - Brushed Brass
A691-531	● White - Graphite
A691-532	● Blue - Brushed Brass
A691-533	● Blue - Graphite
A691-534	● Green - Brushed Brass
A691-535	● Green - Graphite
A691-536	● Amber - Brushed Brass
A691-537	● Amber - Graphite
A691-538	● Pink - Brushed Brass
A691-539	● Pink - Graphite

Materials  
 Body: Metal  
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes  
 Integrated dimmer: Yes  
 Dimmer Type: 3 positions dimmer

Product type: Table  
 Light source: LED SMD 1A 3,5W 2700K CRI90 216lm  
 Luminaire: in 5 Vdc 1,5A 123lm  
 Weight: Net 1,2 kg – Gross 1,5 kg  
 Package: 18 x 18 x 35 cm – 1,5 kg Vol – 0,011 m<sup>3</sup>  
 LED included



Dimmer



CE

EAC

UK  
CA

Switch location: Body  
 Charging time: 10 h

Battery life time:  
 5 hours in peak power  
 10 hours in half power  
 20 hours in a quarter power




## Disk accessory + magnet

Code	Finish
A691-097	● Negro

Materials  
 Structure: Metal counterweight

Product type: Accessory  
 Weight: Net 0,5 kg – Gross 0,6 kg  
 Package: 16 x 14 x 9 cm - 0,6 kg – VOL - 0,002 m<sup>3</sup>




## Magnet accessory

Code	Finish
A680-008	● Inox

Materials  
 Structure: Neodymium magnet

Product type: Accessory  
 Weight: Net 0,01 kg – Gross 0,02 kg  
 Package: 12 x 17,5 x 1 cm - 0,02 kg – VOL - 0,001 m<sup>3</sup>






## Dipping Light A1-13

Code	Finish
A691-200	White - Brushed Brass
A691-201	White - Graphite
A691-202	Blue - Brushed Brass
A691-203	Blue - Graphite
A691-204	Green - Brushed Brass
A691-205	Green - Graphite
A691-206	Amber - Brushed Brass
A691-207	Amber - Graphite
A691-208	Pink - Brushed Brass
A691-209	Pink - Graphite

Materials  
 Body: Metal  
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut (Triac)

Product type: Wall  
 Light source: LED COB 700mA 5,68W 2700K CRI90 645lm  
 Luminaire: 220 - 240 VAC TRIAC 9,3W  
 Weight: Net 0,9 kg – Gross 1,5 kg  
 Package: 18 x 18 x 28 cm – 1,5 kg Vol – 0,001 m<sup>3</sup>  
 LED included



Dimmable



Wire installation: Hardwired




## Dipping Light A2-13

Code	Finish
A691-220	White - Brushed Brass
A691-221	White - Graphite
A691-222	Blue - Brushed Brass
A691-223	Blue - Graphite
A691-224	Green - Brushed Brass
A691-225	Green - Graphite
A691-226	Amber - Brushed Brass
A691-227	Amber - Graphite
A691-228	Pink - Brushed Brass
A691-229	Pink - Graphite

Materials  
 Body: Metal  
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut (Triac)


Product type: Wall  
 Light source: LED SMD 700mA 8,6W 2700K CRI90 765lm  
 Luminaire: 220 - 240 VAC TRIAC 7,96W  
 Weight: Net 0,7 kg – Gross 1,4 kg  
 Package: 18 x 18 x 35 cm – 1,4 kg Vol – 0,001 m<sup>3</sup>  
 LED included



Dimmable



Wire installation: Hardwired




## Dipping Light 13

Code	Finish
A691-240	White
A691-241	Blue
A691-242	Green
A691-243	Amber
A691-244	Pink

Materials  
 Diffuser: Brilliant white blown glass globe with layered paint  
 Cover: Polycarbonate  
 Canopy: Metal

Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut (Triac)

Product type: Pendant  
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm  
 Luminaire: 220 - 240 VAC TRIAC 5,72W 203lm  
 Weight: Net 0,8 kg – Gross 1,3 kg  
 Package: 21 x 22 x 23 cm – 1,3 kg Vol – 0,01 m<sup>3</sup>  
 LED included



Dimmable



CE

ERC

UK  
CA

Cable length: 2 m  
 Wire installation: Hardwired  
 Color cord: Black  
 Canopy color: Black - Entry points: 1




## Dipping Light 13 - 24V

Code	Finish
A691-250	White
A691-251	Blue
A691-252	Green
A691-253	Amber
A691-254	Pink

Materials  
 Diffuser: Brilliant white blown glass globe with layered paint  
 Cover: Polycarbonate

Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: It depends on the purchased power supply.  
 Phase cut (Triac)  
 DALI

Product type: Pendant  
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm  
 Luminaire: (Power supply not included) 203lm  
 Weight: Net 0,6 kg – Gross 1 kg  
 Package: 21 x 22 x 23 cm – 1 kg Vol – 0,01 m<sup>3</sup>  
 Product notes: Use with Cluster. 1 pc. hook accessory included  
 LED included



Dimmable




CE

ERC

UK  
CA

Cable length: 4 m  
 Wire installation: Hardwired  
 Color cord: Black




## Dipping Light 20

Code	Finish
A691-260	● White
A691-261	● Blue
A691-262	● Green
A691-263	● Amber
A691-264	● Pink

Materials  
 Diffuser: Brilliant white blown glass globe with layered paint  
 Cover: Polycarbonate  
 Canopy: Metal

Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut (Triac)

Product type: Pendant  
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm  
 Luminaire: 220 - 240 VAC TRIAC 5,72W 231lm  
 Weight: Net 1,3 kg – Gross 1,9 kg  
 Package: 33 x 26 x 26 cm – 1,9 kg Vol – 0,02 m<sup>3</sup>  
 LED included



Dimmable




CE

ERC

UK  
CA

Cable length: 2 m  
 Wire installation: Hardwired  
 Color cord: Black  
 Canopy color: Black - Entry points: 1




## Dipping Light 20 - 24V

Code	Finish
A691-270	● White
A691-271	● Blue
A691-272	● Green
A691-273	● Amber
A691-274	● Pink

Materials  
 Diffuser: Brilliant white blown glass globe with layered paint  
 Cover: Polycarbonate

Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: It depends on the purchased power supply.  
 Phase cut (Triac)  
 DALI

Product type: Pendant  
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm  
 Luminaire: (Power supply not included) 231lm  
 Weight: Net 1,06 kg – Gross 1,7 kg  
 Package: 36 x 26 x 26 cm – 1,7 kg Vol – 0,02 m<sup>3</sup>  
 Product notes: Use with Cluster. 1 pc. hook accessory included  
 LED included



Dimmable




CE

ERC

UK  
CA

Cable length: 4 m  
 Wire installation: Hardwired  
 Color cord: Black




## Dipping Light 30

Code	Finish
A691-280	White
A691-281	Blue
A691-282	Green
A691-283	Amber
A691-284	Pink

Materials  
 Diffuser: Brilliant white blown glass globe with layered paint  
 Cover: Polycarbonate  
 Canopy: Metal

Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut (Triac)

Product type: Pendant  
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm  
 Luminaire: 220 - 240 VAC TRIAC 10,87W 379lm  
 Weight: Net 2,4 kg – Gross 3,6 kg  
 Package: 41 x 40 x 41 cm – 3,6 kg Vol – 0,07 m<sup>3</sup>  
 LED included



Dimmable



CE

ERC

UK  
CA

Cable length: 2 m  
 Wire installation: Hardwired  
 Color cord: Black  
 Canopy color: Black - Entry points: 1




## Dipping Light 30 - 24V

Code	Finish
A691-290	White
A691-291	Blue
A691-292	Green
A691-293	Amber
A691-294	Pink

Materials  
 Diffuser: Brilliant white blown glass globe with layered paint  
 Cover: Polycarbonate

Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: It depends on the purchased power supply.  
 Phase cut (Triac)  
 DALI

Product type: Pendant  
 Light source: LED SMD 24Vdc 11,5W 2700K CRI90 1024lm  
 Luminaire: (Power supply not included) 379lm  
 Weight: Net 2 kg – Gross 3,3 kg  
 Package: 41 x 40 x 41 cm – 3,3 kg Vol – 0,07 m<sup>3</sup>  
 Product notes: Use with Cluster. 1 pc. hook accessory included  
 LED included



Dimmable




CE

ERC

UK  
CA

Cable length: 4 m  
 Wire installation: Hardwired  
 Color cord: Black





## Spare parts

Code	Product	Finish	Spare part
A691-402	Dipping light	White	Glass
A691-401	Dipping light	Blue	Glass
A691-405	Dipping light	Green	Glass
R691-005	Dipping light	Amber	Glass
A691-404	Dipping light	Pink	Glass
A691-509	Dipping light S	White	Glass
A691-510	Dipping light S	Blue	Glass
A691-511	Dipping light S	Green	Glass
A691-512	Dipping light S	Amber	Glass
A691-514	Dipping light S	Pink	Glass
A691-101	Dipping light M	White	Glass
A691-102	Dipping light M	Blue	Glass
A691-103	Dipping light M	Green	Glass
A691-104	Dipping light M	Amber	Glass
A691-105	Dipping light M	Pink	Glass
R691-012	Dipping light A	White	Glass
R691-013	Dipping light A	Blue	Glass
R691-014	Dipping light A	Green	Glass
R691-015	Dipping light A	Amber	Glass
R691-016	Dipping light A	Pink	Glass
R691-018	Dipping Light 13	White	Glass
R691-019	Dipping Light 13	Blue	Glass
R691-020	Dipping Light 13	Green	Glass
R691-021	Dipping Light 13	Amber	Glass
R691-022	Dipping Light 13	Pink	Glass
R691-024	Dipping Light 20	White	Glass
R691-025	Dipping Light 20	Blue	Glass
R691-026	Dipping Light 20	Green	Glass
R691-027	Dipping Light 20	Amber	Glass
R691-028	Dipping Light 20	Pink	Glass
R691-030	Dipping Light 30	White	Glass
R691-031	Dipping Light 30	Blue	Glass
R691-032	Dipping Light 30	Green	Glass
R691-033	Dipping Light 30	Amber	Glass
R691-034	Dipping Light 30	Pink	Glass
R680-014	Dipping Light portable		Battery
R968-001-EU	Dipping Light portable		Black power adapter
R968-002-USA	Dipping Light portable		Black power adapter
R968-003-AU	Dipping Light portable		Black power adapter
R968-004-UK	Dipping Light portable		Black power adapter
R961-057	Dipping Light portable		Usb type C cable black

