



The Ginger collection is moving outdoors, with wall sconces that can be installed individually or in a cluster, a new 15 cm sconce – perfect for passageways and small outdoor areas –, a lamppost and small floor lamps.

The Ginger outdoor also introduces a unique rust finish, with a deep, warm glow, alongside the standard black-white metal finish of the indoor version.



Ginger 15C IP65


Code A662-549-31
A662-549-39

Finish
● Rust Brown
● Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Dissipater: Aluminium
Structure: Stainless steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 67lm - Black-White
(Power supply not included) 27lm - Rust brown
Weight: Net 0,4 kg – Gross 0,5 kg
Package: 24 x 21 x 10 cm – 0,5 kg Vol – 0,01 m³
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable



CE


IP65

ERC

UK
CA

Power supplies on page 108

Canopy color: Black
Wire installation: Hardwired



Ginger 20C IP65


Code
A662-550-31
A662-550-39

Finish
● Rust Brown
▲ Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Dissipater: Aluminium


Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm - Black-White
(Power supply not included) 291lm - Rust brown
Weight: Net 0,5 kg – Gross 0,7 kg
Package: 24 x 21 x 10 cm – 0,7 kg Vol – 0,01 m³
Product notes: 24V remote power supply to be ordered separately.
LED included



Power supplies on page 108

Canopy color: Black



Ginger 32C IP65


Code
A662-551-31
A662-551-39

Finish
● Rust Brown
▲ Black-White (RAL 9005-9010)


Materials
Diffuser: Aluminium
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: 220 - 240 VAC TRIAC 9W 350lm - Black-White
220 - 240 VAC TRIAC 9W 81lm - Rust Brown
Weight: Net 0,9 kg – Gross 2 kg
Package: 43 x 48 x 17 cm – 2 kg Vol – 0,04 m³
Product notes: DALI and Casambi upon request
LED included



Canopy color: Black




Ginger 42C IP65

Code
A662-552-31 Finish
A662-552-39 ● Rust Brown
 ● Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
Luminaire: 180 - 295 VAC TRIAC 19,71W 698lm - Black-White
 180 - 295 VAC TRIAC 19,71W 186lm - Rust brown
Weight: Net 1,8 kg – Gross 3,5 kg
Package: 57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m³
Product notes: DALI and Casambi upon request
LED included



Dimmable

CE


ERAC

UK
CA



IP65

Canopy color: Black




Ginger 60C IP65

Code
A662-553-31 Finish
A662-553-39 ● Rust Brown
 ● Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm
Luminaire: 180 - 295 VAC TRIAC 26,09W 1165lm - Black-White
 180 - 295 VAC TRIAC 26,09W 245lm - Rust brown
Weight: Net 3,6 kg – Gross 6,3 kg
Package: 67 x 67 x 24 cm – 6,3 kg Vol – 0,1 m³
Product notes: DALI and Casambi upon request
LED included



Dimmable

CE


ERAC

UK
CA



IP65

Canopy color: Black



Ginger B 20/44


Code
A662-554-31
A662-554-39

Finish
● Rust Brown-White
● Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Structure: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac)
DALI

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm
Weight: Net 0,8 kg – Gross 1,3 kg
Package: 25 x 23 x 12 cm – 0,7 kg Vol – 0,007 m³
15 x 13 x 48 cm – 0,6 kg Vol – 0,009 m³
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable



CE

IP65

EAC

UK
CA

Cable length: 2,6 m
Canopy color: Black



Ginger B 20/63


Code
A662-543-31
A662-543-39

Finish
● Rust Brown-White
● Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Structure: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac)
DALI

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm
Weight: Net 0,9 kg – Gross 1,4 kg
Package: 25 x 23 x 12 cm – 0,7 kg Vol – 0,007 m³
15 x 13 x 66,5 cm – 0,7 kg Vol – 0,01 m³
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable



CE

IP65

EAC

UK
CA

Cable length: 2,4 m
Canopy color: Black



Ginger B 20/86


Code
A662-544-31
A662-544-39

Finish
● Rust Brown-White
● Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Structure: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac)
DALI

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm
Weight: Net 1 kg – Gross 1,6 kg
Package: 25 x 23 x 12 cm – 0,7 kg Vol – 0,007 m³
15 x 13 x 98,5 cm – 0,9 kg Vol – 0,02 m³
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable



CE

IP65

EAC

UK
CA



Cable length: 2,1 m
Canopy color: Black


Post accessory

Code
A662-555

Finish
● Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory
Weight: Net 0,3 kg – Gross 0,4 kg
Package: 14 x 14 x 28 cm - 0,4 kg – VOL - 0,006 m³




Ground fixation plate

Code A662-556
 Finish ● Stainless steel

Materials
 Structure: Stainless steel 316 L

Product type: Accessory
 Weight: Net 0,3 kg – Gross 0,4 kg
 Package: 15 x 15 x 13 cm - 0,4 kg – VOL - 0,003 m³



Ginger: Power Supply - Non Dimmable IP

Code	Description	Dimming	Class
968-249	Power supply 20W - 24V - IP68	-	II
968-250	Power supply 70W - 24V - IP67	-	II

Ginger: Power Supply - Dimmable

Code	Description	Dimming	Class
968-223-23	Power supply 20W - 24V	Triac	II
968-205	Power supply 50W - 24V	Triac	II
968-227	Power supply 35W - 24V	DALI	II
968-206	Power supply 60W - 24V	DALI	II

Ginger: Connection Box

Code	Description	Dimming	Class
A666-210	Connection box 50W - 24V - IP67 (230 x 126 x 56mm)	Triac	II
A666-211	Connection box 35W - 24V - IP67 (230 x 126 x 56mm)	DALI	II
A666-212	Connection box 120W - 24V - IP67 (280 x 165 x 82mm)	DALI	II



Ginger: Connector Accessory

Code A963-001
 Description 2 way terminal block 4 poles IP68 H2O Stop.
 (ø5,5÷12mm cable).



Code A963-002
 Description 3/4 way terminal block 4 poles IP68 H2O Stop.
 (ø5,5÷12mm cable).




Ginger 60/298

Code A662-735 Finish
● Black-White (RAL 9005-9010)

Materials Dimmable: Yes
Diffuser: Aluminium Integrated dimmer: No
Structure: Stainless Steel Dimming: Depending on the connection
Dissipater: Aluminium ON / OFF
1-10V

Product type: Lamppost
Light source: LED SMD 1050mA 33,8W 2700K CRI90 4037lm
Luminaire: 90 - 305 VAC 1-10V 35,8W 1463lm
Weight: Net 13,25 kg – Gross 20,05 kg
Package: 68 x 69 x 24 cm – 5,7 kg Vol – 0,11 m³
61 x 16 x 255 cm – 11,1 kg Vol – 0,25 m³
25 x 25 x 44 cm – 3,25 kg Vol – 0,03 m³
LED included



Dimmable

CE

ERAC

UK
CA



IP65



Wire installation: Hardwired

Ground fixation plate

Code A662-733 Finish
● Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory
Weight: Net 1,6 kg – Gross 2,4 kg
Package: 35 x 24 x 24 cm - 2,4 kg – VOL - 0,02 m³

