

# Libe

LIBE ROUND S90

IT Un disegno perfetto, dove le forme geometriche semplici e lineari si concretizzano in un oggetto. Come magia un tratto di matita diventa realtà per mezzo di sapienti mani e pregiati materiali, come l'ottone e le losanghe di cristallo.

EN A perfect design, where simple, linear geometric shapes take concrete form in an object. As if by magic, a pencil stroke becomes reality, thanks to skilful hands and precious materials such as brass and crystal lozenges.

DESIGN BY  
GIAMPAOLO RAMPOLLA  
E ANDREA LIGUORI

SUSPENSION  
APPLIQUE

MASIERO DIMORE

Libe





MASIERO DIMORE




Libe

LIBE ELLIPSE S120




LIBE A55





MASIERO DIMORE



Libe

# Libe

Telaio in metallo galvanizzato con diffusore in losanghe di cristallo opaco. Illuminazione LED.

Galvanised metal frame with a matt crystal lozenge diffuser. LED lighting.

Gestell aus galvanisch beschichtetem Metall mit Diffusor in matten Kristallrauten. LED-Leuchtmittel.

Marco de metal galvanizado con difusor en pastillas de cristal opaco. Iluminación LED.

Structure en métal galvanisé avec diffuseur en losanges en cristal mat. Éclairage à LED.

Каркас из оцинкованного металла с рассеивателем из пластин матового хрусталя. Светодиодный светильник.


电镀金属灯架，带不透明水晶菱形散光罩。LED 灯。

إطار معدني مجلفن مع ناشر من المعينات الكريستالية غير شفافة. الإنارة ليد.




G14 Ottone brunito  
Burnished brass


LIBE S160	
W	160 cm / 63.00"
D	16 cm / 6.30"
H	30 cm / 11.80"
STANDARD INTEGRATED LED LIGHTING	
104 W CRI>90 3000 K – 9770 NOMINAL LM	
ON REQUEST	
104 W CRI>90 2700 K – 9280 NOMINAL LM	
DIMMABLE	
1-10V	



LIBE S100	
W	100 cm / 39.40"
D	16 cm / 6.30"
H	20 cm / 7.90"
STANDARD INTEGRATED LED LIGHTING	
63 W CRI>90 3000 K – 5922 NOMINAL LM	
ON REQUEST	
63 W CRI>90 2700 K – 5620 NOMINAL LM	
DIMMABLE	
0-10V	




LIBE ROUND S140	
ø	140 cm / 55.10"
H	8,5 cm / 3.30"
STANDARD INTEGRATED LED LIGHTING	
144 W CRI>90 3000 K – 13536 NOMINAL LM	
ON REQUEST	
144 W CRI>90 2700 K – 12850 NOMINAL LM	
DIMMABLE	
1-10V	



LIBE ROUND S115	
ø	115 cm / 45.30"
H	8,5 cm / 3.30"
STANDARD INTEGRATED LED LIGHTING	
116 W CRI>90 3000 K – 10904 NOMINAL LM	
ON REQUEST	
116 W CRI>90 2700 K – 10350 NOMINAL LM	
DIMMABLE	
1-10V	




LIBE ROUND S90	
ø	90 cm / 35.40"
H	8,5 cm / 3.30"
STANDARD INTEGRATED LED LIGHTING	
90 W CRI>90 3000 K – 8460 NOMINAL LM	
ON REQUEST	
90 W CRI>90 2700 K – 8030 NOMINAL LM	
DIMMABLE	
0-10V	




LIBE ROUND S60	
ø	60 cm / 23.60"
H	8,5 cm / 3.30"
STANDARD INTEGRATED LED LIGHTING	
59 W CRI>90 3000 K – 5546 NOMINAL LM	
ON REQUEST	
59 W CRI>90 2700 K – 5264 NOMINAL LM	
DIMMABLE	
0-10V	




LIBE ELLIPSE S120	
W	120 cm / 47.20"
D	40 cm / 15.70"
H	8,5 cm / 3.30"
STANDARD INTEGRATED LED LIGHTING	
86,5 W CRI>90 3000 K – 8131 NOMINAL LM	
ON REQUEST	
86,5 W CRI>90 2700 K – 7720 NOMINAL LM	
DIMMABLE	
0-10V	



LIBE ELLIPSE S90	
W	90 cm / 35.40"
D	30 cm / 11.80"
H	8,5 cm / 3.30"
STANDARD INTEGRATED LED LIGHTING	
62,5 W CRI>90 3000 K – 5875 NOMINAL LM	
ON REQUEST	
62,5 W CRI>90 2700 K – 5580 NOMINAL LM	
DIMMABLE	
0-10V	




LIBE A55	
W	55 cm / 21.70"
D	8 cm / 3.10"
H	8,5 cm / 3.30"
STANDARD INTEGRATED LED LIGHTING	
7 W CRI>90 3000 K – 658 NOMINAL LM	
ON REQUEST	
7 W CRI>90 2700 K – 625 NOMINAL LM	
DIMMABLE	
NO	




## SINGLE CANOPIES

### SINGLE CANOPY

	SIZE	FINISHINGS	PRODUCT NAME
	ø 27,5 cm / 10.80" H 9 cm / 3.50"	G14	LIBE ROUND S140 LIBE ROUND S115 LIBE ROUND S90 LIBE ROUND S60

### SINGLE CANOPY

	SIZE	FINISHINGS	PRODUCT NAME
	ø 27,5 cm / 10.80" H 9 cm / 3.50"	G14	LIBE S100 LIBE S160 LIBE ELLIPSE S90 LIBE ELLIPSE S120