


Wireflow Chandelier

Design by Arik Levy

Wireflow is a collection of pendant lights that are at once presence and absence. Featuring slender black, electrical cables tipped with LED light terminals, its three-dimensional forms represent a contemporary reinterpretation of the traditional chandelier.

Pendants

0315



0374



0375



0376



0377





0378



Each project is unique.
Visit vibia.com and
choose among multiple
compositions designed
and adapted to your
project needs.

Personalise your own
Wireflow composition
quick and easy at
vibia.com




For configurations
longer than 9 m,
please ask Vibia
customer service.



Wireflow Chandelier

0315



Finishes
 ● **04/** __ Black
 (RAL 9005)

LED temperature colour
 /1_ 2700 K **D** >90 9700 lm 121 lm/W
 /2_ 3000 K **E** >90 9700 lm 121 lm/W
 /3_ 3500 K **E** >90 10006,1 lm 125,1 lm/W

Control
0315 __ / __ A
 DALI-2, 1-10V, Push
0315 __ / __ Z
 Casambi

Materials
 Diffuser: Pressed-glass. Body: Aluminum.
 Canopy and horizontal rods: Steel.


Light Source and electronics
 20 x LED 4,5 W 700 mA
 Constant Current 700 mA
 100~240V 50/60Hz

Packaging
 2 Boxes
 Total Vol 0,3832 m³
 Gross weight 32 Kg Net weight 18 Kg

Notes
 Configuration layout at vibia.com



0374



Finishes
 ● **04/** __ Black
 (RAL 9005)

LED temperature colour
 /1_ 2700 K **D** >90 20855 lm 121 lm/W
 /2_ 3000 K **E** >90 20855 lm 121 lm/W
 /3_ 3500 K **E** >90 21513,1 lm 125,1 lm/W

Control
0374 __ / __ A
 DALI-2, 1-10V, Push
0374 __ / __ Z
 Casambi

Materials
 Diffuser: Pressed-glass. Body: Aluminum.
 Canopy and horizontal rods: Steel.


Light Source and electronics
 43 x LED 4,5 W 700 mA
 Constant Current 700 mA
 100~240V 50/60Hz

Packaging
 2 Boxes
 Total Vol 0,5000 m³
 Gross weight 57 Kg Net weight 47 Kg

Notes
 Configuration layout at vibia.com



0375



Finishes
 ● **04/** __ Black
 (RAL 9005)

LED temperature colour
 /1_ 2700 K **D** >90 20855 lm 121 lm/W
 /2_ 3000 K **E** >90 20855 lm 121 lm/W
 /3_ 3500 K **E** >90 21513,1 lm 125,1 lm/W

Control
0375 __ / __ A
 DALI-2, 1-10V, Push
0375 __ / __ Z
 Casambi


Materials
 Diffuser: Pressed-glass. Body: Aluminum.
 Canopy and horizontal rods: Steel.

Light Source and electronics
 43 x LED 4,5 W 700 mA
 Constant Current 700 mA
 100~240V 50/60Hz

Packaging
 2 Boxes
 Total Vol 0,5000 m³
 Gross weight 57 Kg Net weight 47 Kg

Notes
 Configuration layout at vibia.com



1160 10 / 1AModel
Finish
LED temperature colour
Control**0376**

Finishes
● **04/** _ _ Black
(RAL 9005)

LED temperature colour
/1 _ 2700 K **D** >90 20370 lm 121 lm/W
/2 _ 3000 K **E** >90 20370 lm 121 lm/W
/3 _ 3500 K **E** >90 21012,8 lm 125,1 lm/W

Control
0376 _ _ / _ A
DALI-2, 1-10V, Push
0376 _ _ / _ Z
Casambi


Materials
Diffuser: Pressed-glass. Body: Aluminum.
Canopy and horizontal rods: Steel.

Light Source and electronics
42 x LED 4,5 W 700 mA
Constant Current 700 mA
100-240V 50/60Hz

Packaging
2 Boxes
Total Vol 0,5000 m³
Gross weight 56 Kg Net weight 46 Kg

Notes
Configuration layout at vibia.com

LED IP20 CE EAC Bi-volt

0377

Finishes
● **04/** _ _ Black
(RAL 9005)

LED temperature colour
/1 _ 2700 K **D** >90 20370 lm 121 lm/W
/2 _ 3000 K **E** >90 20370 lm 121 lm/W
/3 _ 3500 K **E** >90 21012,8 lm 125,1 lm/W

Control
0377 _ _ / _ A
DALI-2, 1-10V, Push
0377 _ _ / _ Z
Casambi


Materials
Diffuser: Pressed-glass. Body: Aluminum.
Canopy and horizontal rods: Steel.

Light Source and electronics
42 x LED 4,5 W 700 mA
Constant Current 700 mA
100-240V 50/60Hz

Packaging
2 Boxes
Total Vol 0,5000 m³
Gross weight 56 Kg Net weight 46 Kg

Notes
Configuration layout at vibia.com

LED IP20 CE EAC Bi-volt

0378

Finishes
● **04/** _ _ Black
(RAL 9005)

LED temperature colour
/1 _ 2700 K **D** >90 20370 lm 121 lm/W
/2 _ 3000 K **E** >90 20370 lm 121 lm/W
/3 _ 3500 K **E** >90 21012,8 lm 125,1 lm/W

Control
0378 _ _ / _ A
DALI-2, 1-10V, Push
0378 _ _ / _ Z
Casambi

Materials
Diffuser: Pressed-glass. Body: Aluminum.
Canopy and horizontal rods: Steel.

Light Source and electronics
42 x LED 4,5 W 700 mA
Constant Current 700 mA
100-240V 50/60Hz

Packaging
2 Boxes
Total Vol 0,5000 m³
Gross weight 56 Kg Net weight 46 Kg

Notes
Configuration layout at vibia.com

LED IP20 CE EAC Bi-volt