


Skybell Linear S/5L/20

IP 20 | 0/1-10V / DALI / PUSH | 16 W LED / CRI: 90 / 2700 K
 1860 lm light source / fuente de luz

Only for North America

Skybell Linear S/5L/20

DRY | 0/1-10V / PUSH | 16 W LED / CRI: 90 / 2700 K
 1860 lm light source




Skybell Linear S/7L/20

IP 20 | 0/1-10V / DALI / PUSH | 22,4 W LED / CRI: 90 / 2700 K
 2604 lm light source / fuente de luz

Only for North America

Skybell Linear S/7L/20

DRY | 0/1-10V / PUSH | 22,4 W LED / CRI: 90 / 2700 K
 2604 lm light source




Skybell Linear S/9L/20

IP 20 | 0/1-10V / DALI / PUSH | 28,8 W LED / CRI: 90 / 2700 K
 3348 lm light source / fuente de luz

Only for North America

Skybell Linear S/9L/20

DRY | 0/1-10V / PUSH | 28,8 W LED / CRI: 90 / 2700 K
 3348 lm light source




Skybell Linear S/5L/22

IP 20 | 0/1-10V / DALI / PUSH | 13,4 W LED / CRI: 90 / 2700K
 1440 lm fuente luz superior
 upper light source
 16 W LED / CRI: 90 / 2700K
 1860 lm fuente luz inferior
 lower light source

Only for North America

Skybell Linear S/5L/22

DRY | 0/1-10V / PUSH | 13,4 W LED / CRI: 90 / 2700K
 1440 lm fuente luz superior
 upper light source
 16 W LED / CRI: 90 / 2700K
 1860 lm fuente luz inferior
 lower light source




Skybell Linear S/7L/22

IP 20 | 0/1-10V / DALI / PUSH | 20 W LED / CRI: 90 / 2700K
 2160 lm fuente luz superior
 upper light source
 22,4 W LED / CRI: 90 / 2700K
 2604 lm fuente luz inferior
 lower light source

Only for North America

Skybell Linear S/7L/22

DRY | 0/1-10V / PUSH | 20 W LED / CRI: 90 / 2700K
 2160 lm fuente luz superior
 upper light source
 22,4 W LED / CRI: 90 / 2700K
 2604 lm fuente luz inferior
 lower light source




Skybell Linear S/9L/22

IP 20 | 0/1-10V / DALI / PUSH | 26,7 W LED / CRI: 90 / 2700K
 2880 lm fuente luz superior
 upper light source
 28,8 W LED / CRI: 90 / 2700K
 3348 lm fuente luz inferior
 lower light source

Only for North America

Skybell Linear S/9L/22

DRY | 0/1-10V / PUSH | 26,7 W LED / CRI: 90 / 2700K
 2880 lm fuente luz superior
 upper light source
 28,8 W LED / CRI: 90 / 2700K
 3348 lm fuente luz inferior
 lower light source




Skybell Linear S/5L/21

IP 20 | 0/1-10V / DALI / PUSH | 16 W LED / CRI: 90 / 2700 K
1860 lm light source/fuente de luz

Only for North America

Skybell Linear S/5L/21

DRY | 0/1-10V / PUSH | 16 W LED / CRI: 90 / 2700 K
1860 lm light source




Skybell Linear S/7L/21

IP 20 | 0/1-10V / DALI / PUSH | 22,4 W LED / CRI: 90 / 2700 K
2604 lm light source/fuente de luz

Only for North America

Skybell Linear S/7L/21

DRY | 0/1-10V / PUSH | 22,4 W LED / CRI: 90 / 2700 K
2604 lm light source




Skybell Linear S/9L/21

IP 20 | 0/1-10V / DALI / PUSH | 28,8 W LED / CRI: 90 / 2700 K
3348 lm light source/fuente de luz

Only for North America

Skybell Linear S/9L/21

DRY | 0/1-10V / PUSH | 28,8 W LED / CRI: 90 / 2700 K
3348 lm light source



Skybell Linear S/5L/23

IP 20 | 0/1-10V / DALI / PUSH | 13,4 W LED / CRI: 90 / 2700K
1440 lm fuente luz superior
upper light source


16 W LED / CRI: 90 / 2700K
1860 lm fuente luz inferior
lower light source

Only for North America

Skybell Linear S/5L/23

DRY | 0/1-10V / PUSH | 13,4 W LED / CRI: 90 / 2700K
1440 lm fuente luz superior
upper light source

16 W LED / CRI: 90 / 2700K
1860 lm fuente luz inferior
lower light source



Skybell Linear S/7L/23

IP 20 | 0/1-10V / DALI / PUSH | 20 W LED / CRI: 90 / 2700K
2160 lm fuente luz superior
upper light source


22,4 W LED / CRI: 90 / 2700K
2604 lm fuente luz inferior
lower light source

Only for North America

Skybell Linear S/7L/23

DRY | 0/1-10V / PUSH | 20 W LED / CRI: 90 / 2700K
2160 lm fuente luz superior
upper light source

22,4 W LED / CRI: 90 / 2700K
2604 lm fuente luz inferior
lower light source



Skybell Linear S/9L/23

IP 20 | 0/1-10V / DALI / PUSH | 26,7 W LED / CRI: 90 / 2700K
2880 lm fuente luz superior
upper light source

28,8 W LED / CRI: 90 / 2700K
3348 lm fuente luz inferior
lower light source

Only for North America

Skybell Linear S/9L/23

DRY | 0/1-10V / PUSH | 26,7 W LED / CRI: 90 / 2700K
2880 lm fuente luz superior
upper light source

28,8 W LED / CRI: 90 / 2700K
3348 lm fuente luz inferior
lower light source



Luces / Lights
 3 x 65 cm / 25.59"
 6 x 55 cm / 21.65"
 3 x 45 cm / 17.72"


Skybell Circle S/12L/40

IP 20 | 01-10V / DALI / PUSH | 38,4 W LED / CRI: 90 / 2700 K
 4464 lm light source / fuente de luz

Only for North America

Skybell Circle S/12L/40

DRY | 01-10V / PUSH | 38,4 W LED / CRI: 90 / 2700 K
 4464 lm light source



Luces / Lights
 4 x 65 cm / 25.59"
 8 x 55 cm / 21.65"
 4 x 45 cm / 17.72"


Skybell Circle S/16L/40

IP 20 | 01-10V / DALI / PUSH | 51,2 W LED / CRI: 90 / 2700 K
 5952 lm light source / fuente de luz

Only for North America

Skybell Circle S/16L/40

DRY | 01-10V / PUSH | 51,2 W LED / CRI: 90 / 2700 K
 5952 lm light source



Luces / Lights
 5 x 65 cm / 25.59"
 10 x 55 cm / 21.65"
 5 x 45 cm / 17.72"


Skybell Circle S/20L/40

IP 20 | 01-10V / DALI / PUSH | 64 W LED / CRI: 90 / 2700 K
 7440 lm light source / fuente de luz

Only for North America

Skybell Circle S/20L/40

DRY | 01-10V / PUSH | 64 W LED / CRI: 90 / 2700 K
 7440 lm light source



Luces / Lights
 3 x 65 cm / 25.59"
 6 x 55 cm / 21.65"
 3 x 45 cm / 17.72"


Skybell Circle S/12L/42

IP 20 | 01-10V / DALI / PUSH | 26,7 W LED / CRI: 90 / 2700K
 2880 lm fuente luz superior
upper light source
 38,4 W LED / CRI: 90 / 2700K
 4464 lm fuente luz inferior
lower light source

Only for North America

Skybell Circle S/12L/42

DRY | 01-10V / PUSH | 26,7 W LED / CRI: 90 / 2700K
 2880 lm fuente luz superior
upper light source
 38,4 W LED / CRI: 90 / 2700K
 4464 lm fuente luz inferior
lower light source



Luces / Lights
 4 x 65 cm / 25.59"
 8 x 55 cm / 21.65"
 4 x 45 cm / 17.72"


Skybell Circle S/16L/42

IP 20 | 01-10V / DALI / PUSH | 40,1 W LED / CRI: 90 / 2700K
 4320 lm fuente luz superior
upper light source
 51,2 W LED / CRI: 90 / 2700K
 5952 lm fuente luz inferior
lower light source

Only for North America

Skybell Circle S/16L/42

DRY | 01-10V / PUSH | 40,1 W LED / CRI: 90 / 2700K
 4320 lm fuente luz superior
upper light source
 51,2 W LED / CRI: 90 / 2700K
 5952 lm fuente luz inferior
lower light source



Luces / Lights
 5 x 65 cm / 25.59"
 10 x 55 cm / 21.65"
 5 x 45 cm / 17.72"

Skybell Circle S/20L/42

IP 20 | 01-10V / DALI / PUSH | 53,4 W LED / CRI: 90 / 2700K
 5760 lm fuente luz superior
upper light source
 64 W LED / CRI: 90 / 2700K
 7440 lm fuente luz inferior
lower light source

Only for North America

Skybell Circle S/20L/42

DRY | 01-10V / PUSH | 53,4 W LED / CRI: 90 / 2700K
 5760 lm fuente luz superior
upper light source
 64 W LED / CRI: 90 / 2700K
 7440 lm fuente luz inferior
lower light source



Luces / Lights
 5 x 75 cm / 29.53"
 10 x 65 cm / 25.59"
 10 x 55 cm / 21.65"
 5 x 45 cm / 17.72"


Skybell Circle S/30L/40

IP 20 | 0/1-10V / DALI / PUSH | 96 W LED / CRI: 90 / 2700 K
 11160 lm light source / fuente deluz

Only for North America

Skybell Circle S/12L/40

DRY | 0/1-10V / PUSH | 96 W LED / CRI: 90 / 2700 K
 11160 lm light source



Luces / Lights
 7 x 75 cm / 29.53"
 19 x 65 cm / 25.59"
 24 x 55 cm / 21.65"
 12 x 45 cm / 17.72"

Skybell Circle S/62L/40

IP 20 | 0/1-10V / DALI / PUSH | 198,4 W LED / CRI: 90 / 2700 K
 23064 lm light source / fuente deluz

Only for North America

Skybell Circle S/16L/40

DRY | 0/1-10V / PUSH | 198,4 W LED / CRI: 90 / 2700 K
 23064 lm light source



Luces / Lights
 20 x 65 cm / 25.59"


Skybell Modular S/20L/40

IP 20 | 0/1-10V / DALI / PUSH | 64 W LED / CRI: 90 / 2700 K
 7440 lm light source / fuente deluz

Only for North America

Skybell Modular S/20L/40

DRY | 0/1-10V / PUSH | 64 W LED / CRI: 90 / 2700 K
 7440 lm light source



Luces / Lights
 5 x 75 cm / 29.53"
 10 x 65 cm / 25.59"
 10 x 55 cm / 21.65"
 5 x 45 cm / 17.72"


Skybell Circle S/30L/42

IP 20 | 0/1-10V / DALI / PUSH | 80,2 W LED / CRI: 90 / 2700K
 8640 lm fuente luz superior
 upper light source
 96 W LED / CRI: 90 / 2700K
 11160 lm fuente luz inferior
 lower light source

Only for North America

Skybell Circle S/12L/42

DRY | 0/1-10V / PUSH | 26,7 W LED / CRI: 90 / 2700K
 2880 lm fuente luz superior
 upper light source
 28,8 W LED / CRI: 90 / 2700K
 3348 lm fuente luz inferior
 lower light source



Luces / Lights
 7 x 75 cm / 29.53"
 19 x 65 cm / 25.59"
 24 x 55 cm / 21.65"
 12 x 45 cm / 17.72"


Skybell Circle S/62L/42

IP 20 | 0/1-10V / DALI / PUSH | 160,3 W LED / CRI: 90 / 2700K
 17280 lm fuente luz superior
 upper light source
 198,4 W LED / CRI: 90 / 2700K
 23064 lm fuente luz inferior
 lower light source

Only for North America

Skybell Circle S/16L/42

DRY | 0/1-10V / PUSH | 40,1 W LED / CRI: 90 / 2700K
 4320 lm fuente luz superior
 upper light source
 51,2 W LED / CRI: 90 / 2700K
 5952 lm fuente luz inferior
 lower light source



Finishes Acabados



Ebony Black
Negro ébano

Skybell Catenary

Familia
Family

	S/5L/10	S/5L/11	S/7L/10	S/7L/11	S/9L/10	S/9L/11
page / página	226	226	226	226	216	226

Skybell Linear

Familia
Family

	S/5L/20 S/5L/22	S/7L/20 S/7L/22	S/9L/20 S/9L/22	S/5L/21 S/5L/23	S/7L/21 S/7L/23	S/9L/21 S/9L/23
page / página	217	215	227	228	228	228

Skybell Circle

Familia
Family

	S/12L/40 S/12L/42	S/16L/40 S/16L/42	S/20L/40 S/20L/42	S/30L/40 S/30L/42	S/62L/40 S/62L/42
page / página	208	229	210	230	207