


# Dots

Design by Martín Azúa

A diminutive wall sconce delivers outsized impact in the form of simple, circular dots. Seamlessly connecting a space with an intimate landscape of beams and halos, the collection creates a melody of light like a composition of musical notes in concert with another.

---

## Wall



Ø 17,5 cm

Ajustable: 360° turn.  
4662: On-off switch on the back plate.

**4660 - 4662**



Ø 17,5 cm

Once installed position is fixed and cannot be adjusted.


**4665**



Ø 17,5 cm

Ajustable: 360° turn.


**4670**



Ø 17,5 cm

**4675**

4660



<b>Finishes</b>	<b>LED temperature colour</b>
● 13/ __ Off-White (NCS S 1000-N)	/1_ 2700 K CRI >90 482,65 lm 84 lm/W
● 27/ __ Brown L1 (NCS S 1505-Y50R)	
● 37/ __ Terra Red (NCS S 4040-Y70R)	
● 47/ __ Green L1 (NCS S 4005-G80Y)	

<b>Control</b>
4660 __ / _ 0 On/ Off
4660 __ / _ 1 DALI-2
4660 __ / _ 3 1-10V
4660 __ / _ 4 TRIAC

<b>Finishes</b>	<b>LED temperature colour</b>
● 82/ __ White oak	/1_ 2700 K CRI >90 482,65 lm 84 lm/W
● 83/ __ American walnut	

<b>Control</b>
4660 __ / _ 0 On/ Off
4660 __ / _ 1 DALI-2
4660 __ / _ 3 1-10V
4660 __ / _ 4 TRIAC

**Materials**

Body: ABS or Natural wood. Diffuser: Polycarbonate.  
 Canopy: Aluminum.

**Light Source and electronics**


1 x LED 5,75 W 500 mA  
 Constant Current 500 mA  
 220-240V 50/60Hz

**Packaging**


1 Box 0,13 x 0,22 x 0,21 m  
 Vol 0,0062 m<sup>3</sup>  
**ABS:** Gross weight 0,65 Kg  
 Net weight 0,4 Kg  
**Natural wood:** Gross weight 0,85 Kg  
 Net weight 0,6 Kg

**Notes**

22° light halo



4662



<b>Finishes</b>	<b>LED temperature colour</b>
● 13/ __ Off-White (NCS S 1000-N)	/1_ 2700 K CRI >90 482,65 lm 84 lm/W
● 27/ __ Brown L1 (NCS S 1505-Y50R)	
● 37/ __ Terra Red (NCS S 4040-Y70R)	
● 47/ __ Green L1 (NCS S 4005-G80Y)	

<b>Control</b>
4662 __ / _ 0 On/ Off
4662 __ / _ 4 TRIAC

<b>Finishes</b>	<b>LED temperature colour</b>
● 82/ __ White oak	/1_ 2700 K CRI >90 482,65 lm 84 lm/W
● 83/ __ American walnut	

<b>Control</b>
4662 __ / _ 0 On/ Off
4662 __ / _ 4 TRIAC

**Materials**

Body: ABS or Natural wood. Diffuser: Polycarbonate.  
 Canopy: Aluminum.

**Light Source and electronics**


1 x LED 5,75 W 500 mA  
 Constant Current 500 mA  
 220-240V 50/60Hz

**Packaging**


1 Box 0,13 x 0,22 x 0,21 m  
 Vol 0,0062 m<sup>3</sup>  
**ABS:** Gross weight 0,65 Kg  
 Net weight 0,4 Kg  
**Natural wood:** Gross weight 0,85 Kg  
 Net weight 0,6 Kg

**Notes**

22° light halo  
 Switch on the back plate



4665



- Finishes**
- 13/ \_\_ Off-White (NCS S 1000-N)
  - 27/ \_\_ Brown L1 (NCS S 1505-Y50R)
  - 37/ \_\_ Terra Red (NCS S 4040-Y70R)
  - 47/ \_\_ Green L1 (NCS S 4005-G80Y)

**LED temperature colour**  
 /1\_ 2700 K   
 CRI >90 482,65 lm 84 lm/W

**Control**  
 4665 \_\_ / \_ 0  
 On/ Off

**Materials**

Body: ABS. Diffuser: Polycarbonate.  
 Canopy: Aluminum.

**Light Source and electronics**


1 x LED 5,75 W 500 mA  
 Constant Current 500 mA  
 220~240V 50/60Hz

**Packaging**

1 Box 0,13 x 0,22 x 0,21 m  
 Vol 0,0062 m<sup>3</sup>  
 Gross weight 0,65 Kg Net weight 0,4 Kg



4670



- Finishes**
- 13/ \_\_ Off-White (NCS S 1000-N)
  - 27/ \_\_ Brown L1 (NCS S 1505-Y50R)
  - 37/ \_\_ Terra Red (NCS S 4040-Y70R)
  - 47/ \_\_ Green L1 (NCS S 4005-G80Y)

**LED temperature colour**  
 /1\_ 2700 K   
 CRI >90 482,65 lm 84 lm/W

**Control**  
 4670 \_\_ / \_ 0  
 On/ Off

4670 \_\_ / \_ 1  
 DALI-2

4670 \_\_ / \_ 3  
 1-10V

4670 \_\_ / \_ 4  
 TRIAC

- Finishes**
- 82/ \_\_ White oak
  - 83/ \_\_ American walnut

**LED temperature colour**  
 /1\_ 2700 K   
 CRI >90 482,65 lm 84 lm/W

**Control**  
 4670 \_\_ / \_ 0  
 On/ Off

4670 \_\_ / \_ 1  
 DALI-2

4670 \_\_ / \_ 3  
 1-10V

4670 \_\_ / \_ 4  
 TRIAC

**Materials**

Body: ABS or Natural wood. Diffuser: Polycarbonate.  
 Canopy: Aluminum.

**Light Source and electronics**


1 x LED 5,75 W 500 mA  
 Constant Current 500 mA  
 220~240V 50/60Hz

**Packaging**

1 Box 0,13 x 0,22 x 0,21 m  
 Vol 0,0062 m<sup>3</sup>  
**ABS:** Gross weight 0,65 Kg  
 Net weight 0,4 Kg  
**Natural wood:** Gross weight 0,85 Kg  
 Net weight 0,6 Kg



4675



- Finishes**
- 13/ \_\_ Off-White (NCS S 1000-N)
  - 27/ \_\_ Brown L1 (NCS S 1505-Y50R)
  - 37/ \_\_ Terra Red (NCS S 4040-Y70R)
  - 47/ \_\_ Green L1 (NCS S 4005-G80Y)

**LED temperature colour**  
 /1\_ 2700 K CRI >90 573,83 lm 128 lm/W

- Control**
- 4675 \_\_ / \_ 0 On/ Off
  - 4675 \_\_ / \_ 1 DALI-2
  - 4675 \_\_ / \_ 3 1-10V
  - 4675 \_\_ / \_ 4 TRIAC

- Finishes**
- 82/ \_\_ White oak
  - 83/ \_\_ American walnut

**LED temperature colour**  
 /1\_ 2700 K CRI >90 482,65 lm 84 lm/W

- Control**
- 4675 \_\_ / \_ 0 On/ Off
  - 4675 \_\_ / \_ 1 DALI-2
  - 4675 \_\_ / \_ 3 1-10V
  - 4675 \_\_ / \_ 4 TRIAC

**Materials**

Body: ABS or Natural wood. Diffuser: Polycarbonate.  
 Canopy: Aluminum.

**Light Source and electronics**

1 x LED PLATE 4,5 W 500 mA  
 Constant Current 500 mA  
 100-240V 50/60Hz

**Packaging**

1 Box 0,13 x 0,22 x 0,21 m  
 Vol 0,0062 m<sup>3</sup>  
**ABS:** Gross weight 0,65 Kg  
 Net weight 0,4 Kg  
**Natural wood:** Gross weight 0,85 Kg  
 Net weight 0,6 Kg




# Dots Outdoor

Design by Martín Azúa


Easily mistaken for a stone during the day, this fixture is designed to nestle into the undergrowth of a garden or amongst the potted plants of a patio. Dots Outdoor shines at night with a low, diffuse and indirect glow, the source of which is invisible from almost any angle.

## Outdoor



ø 20 cm

4695



ø 16 cm

4697



ø 20 cm


4700



ø 16 cm

4702


4695



### Finishes

- 22/ \_ \_ Graphite Black (NCS S 8000-N)
- 25/ \_ \_ Beige D1 (NCS S 4005-Y50R)
- 53/ \_ \_ Green M1 (NCS S 6005-G80Y)

### LED temperature colour

/1\_ 2700 K   
CRI >90 750,2 lm 96,18 lm/W

### Control

4695 \_ \_ / \_ 0  
On/ Off

4695 \_ \_ / \_ 1\_ 30  
DALI ( Remote)

4695 \_ \_ / \_ Z\_ 30  
Casambi ( Remote)

### Materials

Body: Aluminium.  
Diffuser: Polycarbonate.

### Light Source and electronics


1 x LED STRIP 7,8W 350 mA  
Constant Current 350 mA  
100~277V 50/60Hz

### Packaging

1 Box 0,30 x 0,27 x 0,18 m  
Vol 0,0146 m<sup>3</sup>  
Gross weight 3,4 Kg Net weight 2,7 Kg

     Multi-volt

4697



- Finishes**
- 22/ \_\_ Graphite Black (NCS S 8000-N)
  - 25/ \_\_ Beige D1 (NCS S 4005-Y50R)
  - 53/ \_\_ Green M1 (NCS S 6005-G80Y)

**LED temperature colour**  
 /1\_ 2700 K   
 CRI >90 375,9 lm 81,72 lm/W

**Control**  
 4697 \_\_ / \_\_ 0  
 On/ Off

4697 \_\_ / \_\_ 1\_ 30  
 DALI ( Remote)

4697 \_\_ / \_\_ Z\_ 30  
 Casambi ( Remote)

**Materials**

Body: Aluminium.  
 Diffuser: Polycarbonate.


**Light Source and electronics**

1x LED STRP 4,6W 350 mA  
 Constant Current 350 mA  
 100-240V 50/60Hz

**Packaging**

1 Box 0,24 x 0,20 x 0,13 m  
 Vol 0,0624 m<sup>3</sup>  
 Gross weight 1,9 Kg Net weight 1,5 Kg

4700



- Finishes**
- 22/ \_\_ Graphite Black (NCS S 8000-N)
  - 25/ \_\_ Beige D1 (NCS S 4005-Y50R)
  - 53/ \_\_ Green M1 (NCS S 6005-G80Y)

**LED temperature colour**  
 /1\_ 2700 K   
 CRI >90 1445 lm 97,64 lm/W

**Control**  
 4700 \_\_ / \_\_ 0  
 On/ Off

4700 \_\_ / \_\_ 1\_ 30  
 DALI ( Remote)

4700 \_\_ / \_\_ Z\_ 30  
 Casambi ( Remote)

**Materials**

Body: Aluminium.  
 Diffuser: Polycarbonate.


**Light Source and electronics**

1x LED STRIP 14,8W 350 mA  
 Constant Current 350 mA  
 100-277V 50/60Hz

**Packaging**

1 Box 0,30 x 0,27 x 0,18 m  
 Vol 0,0146 m<sup>3</sup>  
 Gross weight 3,8 Kg Net weight 3,1 Kg

4702



- Finishes**
- 22/ \_\_ Graphite Black (NCS S 8000-N)
  - 25/ \_\_ Beige D1 (NCS S 4005-Y50R)
  - 53/ \_\_ Green M1 (NCS S 6005-G80Y)

**LED temperature colour**  
 /1\_ 2700 K   
 CRI >90 1294 lm 101,1 lm/W

**Control**  
 4702 \_\_ / \_\_ 0  
 On/ Off

4702 \_\_ / \_\_ 1\_ 30  
 DALI ( Remote)

4702 \_\_ / \_\_ Z\_ 30  
 Casambi ( Remote)

**Materials**

Body: Aluminium.  
 Diffuser: Polycarbonate.

**Light Source and electronics**

1x LED STRIP 12,8W 300 mA  
 Constant Current 300 mA  
 100-277V 50/60Hz

**Packaging**

1 Box 0,24 x 0,20 x 0,13 m  
 Vol 0,0146 m<sup>3</sup>  
 Gross weight 1,9 Kg Net weight 1,5 Kg