Wireflow free-form

$\setminus | \exists | \land$

0348

Design By Arik Levy

Wireflow designed by Arik Levy. Hanging lap. Configure hanging light installations from an electrical connection point on the wall with a plug to facilitate installation. With Wireflow you can outline different geometrical shapes on walls or ceilings to create murals with a stunning graphic visual effect. Employing CREA product configurator software, the design can be modified to adapt to your specific project requirements.

Model Sheet



Finish	04 Black RAL 9005
LED temperature color	2700 K
Dimming	PUSH
Instalation type	Surface Canopy
Materials	Ceiling rose: Steel Body: Aluminum Rods: Steel Base: Steel
Light source	1 x LED 4,5W 700mA D
LED	CRI>80 490 lm 109 2700 K
Driver	CC - Constant Current 700 100~240 V 50/60 HZ
Remarks	Plug-in Dimmer switch Switch on the wall plate Dimmable LED (IP20) Bi-volt 50-60Hz PUSH
Application	Hanging lamps
Packaging	1 Box 0.26 m x 0.26 m x 0.26 m Gross weigth 1.9 Net weigth 1.71 Vol. 0.0175

Lighting effect

General Lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data

Efficiency Coordinate System Total Flux Maximum Value

40.10% CG 490.30 53.85



Optional : Extra cable length Min. quantity, upcharge and extra lead time apply [EN]

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U. Office / Oficina Progrés 4-6. 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971 Spain / Portugal T +34 934 796 970 customer.service@vibia.com vibia.com