

LA LOLLONA 5


Light Source: 390W - 100~240 Vac/24 Vdc - 44.555 Lumen - 2.700 Kelvin - CRI >90, Integrated LED

Dimmable: PWM, 0-10

Materials: Lentiflex® / Lentiflex® with cold foil Opalflex®

Weight: net 22,6 Kg - gross 64 Kg

Packaging: 143 x 143 x h. 64 cm



LA LOLLONA 4


Light Source: 242W - 100~240 Vac/24 Vdc - 28.140 Lumen - 2.700 Kelvin - CRI >90, Integrated LED

Dimmable: PWM, 1-10

Materials: Lentiflex® / Lentiflex® with cold foil Opalflex®

Weight: net 19,6 Kg - gross 58 Kg

Packaging: 114 x 114 x h. 64 cm



LA LOLLO SUSPENSION XL


Light Source: 130W - 110~240 Vac/24 Vdc - 15.000 Lumen - 2.700 Kelvin - CRI >90, Integrated LED









Dimmable: PWM, 0-10









Materials: Lentiflex® / Lentiflex® with cold foil / Opalflex®

Weight: net 7 Kg - gross 13,5 Kg

Packaging: 100 x 81 x h. 49 cm



FINISH	SIZE	PRODUCT CODE	EAN CODE	CANOPY DETAILS
 GOLD	5	LALS5XLGLD06T00NMTEU	8024727100982	Ø 31 - Ø 35 x h. 5 cm 
	4	LALS4XLGLD06T00NMTEU	8024727101026	
	ACCESSORIES			
		DALI ACC00DAL0UNI000B0		
		CASAMBI ACC00CAI0220000A0		
 GRADIENT	5	LALS5XLGRD06T00NMTEU	8024727100999	Ø 31 - Ø 35 x h. 5 cm 
	4	LALS4XLGRD06T00NMTEU	8024727101033	
	ACCESSORIES			
		DALI ACC00DAL0UNI000B0		
		CASAMBI ACC00CAI0220000A0		
 PEWTER	5	LALS5XLPWT06T00NMTEU	8024727101002	Ø 31 - Ø 35 x h. 5 cm 
	4	LALS4XLPWT06T00NMTEU	8024727101040	
	ACCESSORIES			
		DALI ACC00DAL0UNI000B0		
		CASAMBI ACC00CAI0220000A0		
 WHITE	5	LALS5XLWHT06T00NMTEU	8024727101019	Ø 31 - Ø 35 x h. 5 cm 
	4	LALS4XLWHT06T00NMTEU	8024727101057	
	ACCESSORIES			
		DALI ACC00DAL0UNI000B0		
		CASAMBI ACC00CAI0220000A0		

FINISH	PRODUCT CODE	EAN CODE	CANOPY DETAILS
 GOLD	LALSXL0GLD01T00NMTEU	8024727101156	Ø 25,5 x h. 5 cm 
	ACCESSORIES		
	6M CABLE KIT (must be ordered with lamp)		
	DALI ACC00DAL0UNI000B0		
	TRIAC ACC00TRI0220000C0		
CASAMBI ACC00CAI0220000A0			
 GRADIENT	LALSXL0GRD01T00NMTEU	8024727101170	Ø 25,5 x h. 5 cm 
	ACCESSORIES		
	6M CABLE KIT (must be ordered with lamp)		
	DALI ACC00DAL0UNI000B0		
	TRIAC ACC00TRI0220000C0		
CASAMBI ACC00CAI0220000A0			
 PEWTER	LALSXL0PWT01T00NMTEU	8024727101194	Ø 25,5 x h. 5 cm 
	ACCESSORIES		
	6M CABLE KIT (must be ordered with lamp)		
	DALI ACC00DAL0UNI000B0		
	TRIAC ACC00TRI0220000C0		
CASAMBI ACC00CAI0220000A0			
 WHITE	LALSXL0WHT01T00NMTEU	8024727101217	Ø 25,5 x h. 5 cm 
	ACCESSORIES		
	6M CABLE KIT (must be ordered with lamp)		
	DALI ACC00DAL0UNI000B0		
	TRIAC ACC00TRI0220000C0		
CASAMBI ACC00CAI0220000A0			

LA LOLLO SUSPENSION **LARGE**


**Light Source:** 80W - 110~240 Vac/24 Vdc - 9.000 Lumen - 2.700 Kelvin - CRI >90, Integrated LED

**Dimmable:** Triac Trailing Edge

**Materials:** Lentiflex® / Lentiflex® with cold foil Opalflex®

**Weight:** net 4 Kg - gross 7,8 Kg

**Packaging:** 100 x 81 x h. 49 cm



LA LOLLO SUSPENSION **MEDIUM**


**Light Source:** 40W - 110~240 Vac/24 Vdc - 4.600 Lumen - 2.700 Kelvin - CRI >90, Integrated LED

**Dimmable:** PWM, 0-10

**Materials:** Lentiflex® / Lentiflex® with cold foil Opalflex®

**Weight:** net 2 Kg - gross 4,8 Kg

**Packaging:** 55 x 54 x h. 44 cm



LA LOLLO **LINEAR 140**


**Light Source:** 110W - 110~240 Vac/24 Vdc - 12.420 Lumen - 2.700 Kelvin - CRI >90, Integrated LED

**Dimmable:** PWM, 0-10

**Materials:** Lentiflex® / Lentiflex® with cold foil / Opalflex®

**Weight:** net 7 Kg - gross 12 Kg

**Packaging:** 156 x 43 x h. 45 cm



LA LOLLO **LINEAR 100**


**Light Source:** 70W - 110~240 Vac/24 Vdc - 7.820 Lumen - 2.700 Kelvin - CRI >90, Integrated LED








**Dimmable:** Triac Trailing Edge













**Materials:** Lentiflex® / Lentiflex® with cold foil / Opalflex®

**Weight:** net 4,9 Kg - gross 7 Kg

**Packaging:** 122 x 35 x h. 37 cm



FINISH	SIZE	PRODUCT CODE	EAN CODE	CANOPY DETAILS
 GOLD	L	LALS00GLD01T00NMTEU	8024727101231	 LARGE: Ø 16 x h. 3,5 cm  MEDIUM: Ø 16 x h. 3,5 cm
	M	LALSM00GLD01T00NMTEU	8024727101064	
	ACCESSORIES			
	6M CABLE KIT (must be ordered with lamp)			
	DALI ACC00DALOUNI000B0			
	CASAMBI ACC00CAI0220000A0			
TRIAC ACC00TRI0220000E0			ONLY M	
 GRADIENT	L	LALS00GRD01T00NMTEU	8024727101255	 LARGE: Ø 16 x h. 3,5 cm  MEDIUM: Ø 16 x h. 3,5 cm
	M	LALSM00GRD01T00NMTEU	8024727101088	
	ACCESSORIES			
	6M CABLE KIT (must be ordered with lamp)			
	DALI ACC00DALOUNI000B0			
	CASAMBI ACC00CAI0220000A0			
TRIAC ACC00TRI0220000E0			ONLY M	
 PEWTER	L	LALS00PWT01T00NMTEU	8024727101279	 LARGE: Ø 16 x h. 3,5 cm  MEDIUM: Ø 16 x h. 3,5 cm
	M	LALSM00PWT01T00NMTEU	8024727101101	
	ACCESSORIES			
	6M CABLE KIT (must be ordered with lamp)			
	DALI ACC00DALOUNI000B0			
	CASAMBI ACC00CAI0220000A0			
TRIAC ACC00TRI0220000E0			ONLY M	
 WHITE	L	LALS00WHT01T00NMTEU	8024727101293	 LARGE: Ø 16 x h. 3,5 cm  MEDIUM: Ø 16 x h. 3,5 cm
	M	LALSM00WHT01T00NMTEU	8024727101149	
	ACCESSORIES			
	6M CABLE KIT (must be ordered with lamp)			
	DALI ACC00DALOUNI000B0			
	CASAMBI ACC00CAI0220000A0			
TRIAC ACC00TRI0220000E0			ONLY M	

FINISH	SIZE	PRODUCT CODE	EAN CODE	CANOPY DETAILS
 GOLD	140	LALS3XLGLD01T00NMTEU	8024727100821	 140: Ø 25,5 x h. 5 cm   100: Ø 14 x h. 4,5 cm
	100	LALSXXLGLD01T00NMTEU	8024727100906	
	ACCESSORIES			
	6M CABLE KIT (must be ordered with lamp)			
	DALI ACC00DALOUNI000B0			
	CASAMBI ACC00CAI0220000A0			
TRIAC ACC00TRI0220000C0			ONLY 140	
 GRADIENT	140	LALS3XLGRD01T00NMTEU	8024727100838	 140: Ø 25,5 x h. 5 cm   100: Ø 14 x h. 4,5 cm
	100	LALSXXLGRD01T00NMTEU	8024727100920	
	ACCESSORIES			
	6M CABLE KIT (must be ordered with lamp)			
	DALI ACC00DALOUNI000B0			
	CASAMBI ACC00CAI0220000A0			
TRIAC ACC00TRI0220000C0			ONLY 140	
 PEWTER	140	LALS3XLPWT01T00NMTEU	8024727100845	 140: Ø 25,5 x h. 5 cm   100: Ø 14 x h. 4,5 cm
	100	LALSXXLPWT01T00NMTEU	8024727100944	
	ACCESSORIES			
	6M CABLE KIT (must be ordered with lamp)			
	DALI ACC00DALOUNI000B0			
	CASAMBI ACC00CAI0220000A0			
TRIAC ACC00TRI0220000C0			ONLY 140	
 WHITE	140	LALS3XLWHT01T00NMTEU	8024727100852	 140: Ø 25,5 x h. 5 cm   100: Ø 14 x h. 4,5 cm
	100	LALSXXLWHT01T00NMTEU	8024727100968	
	ACCESSORIES			
	6M CABLE KIT (must be ordered with lamp)			
	DALI ACC00DALOUNI000B0			
	CASAMBI ACC00CAI0220000A0			
TRIAC ACC00TRI0220000C0			ONLY 140	

LA LOLLONA 5


Light Source: 390W - 100~240 Vac/24 Vdc - 44.555 Lumen - 2.700 Kelvin - CRI >90, Integrated LED

Dimmable: PWM, 0-10

Materials: Lentiflex® / Lentiflex® with cold foil Opalflex®

Weight: net 49,82 lbs - gross 141,1 lbs

Packaging: 56,3 x 56,3 x h. 25,2 in



LA LOLLONA 4


Light Source: 242W - 100~240 Vac/24 Vdc - 28.140 Lumen - 2.700 Kelvin - CRI >90, Integrated LED

Dimmable: PWM, 1-10

Materials: Lentiflex® / Lentiflex® with cold foil Opalflex®

Weight: net 43,21 lbs - gross 127,87 lbs

Packaging: 44,88 x 44,88 x h. 25,2 in



LA LOLLO SUSPENSION XL


Light Source: 130W - 110~240 Vac/24 Vdc - 15.000 Lumen - 2.700 Kelvin - CRI >90, Integrated LED









Dimmable: Triac Trailing Edge









Materials: Lentiflex® / Lentiflex® with cold foil / Opalflex®

Weight: net 15,43 lbs - gross 29,76 lbs

Packaging: 39,37 x 31,89 x h. 19,29 in



FINISH	SIZE	PRODUCT CODE	EAN CODE	CANOPY DETAILS
 GOLD	5	LALS5XLGLD06T00NMTUS	8024727101620	Ø 12,2 - Ø 13,78 x h. 1,97 in 
	4	LALS4XLGLD06T00NMTUS	8024727101767	
	ACCESSORIES			
	DALI ACC00DAL0UNI000B0 CASAMBI ACC00CAI0220000A0			
 GRADIENT	5	LALS5XLGRD06T00NMTUS	8024727101644	Ø 12,2 - Ø 13,78 x h. 1,97 in 
	4	LALS4XLGRD06T00NMTUS	8024727101880	
	ACCESSORIES			
	DALI ACC00DAL0UNI000B0 CASAMBI ACC00CAI0220000A0			
 PEWTER	5	LALS5XLPWT06T00NMTUS	8024727101668	Ø 12,2 - Ø 13,78 x h. 1,97 in 
	4	LALS4XLPWT06T00NMTUS	8024727101781	
	ACCESSORIES			
	DALI ACC00DAL0UNI000B0 CASAMBI ACC00CAI0220000A0			
 WHITE	5	LALS5XLWHT06T00NMTUS	8024727101606	Ø 12,2 - Ø 13,78 x h. 1,97 in 
	4	LALS4XLWHT06T00NMTUS	8024727101873	
	ACCESSORIES			
	DALI ACC00DAL0UNI000B0 CASAMBI ACC00CAI0220000A0			

FINISH	PRODUCT CODE	EAN CODE	CANOPY DETAILS	
 GOLD	LALSXL0GLD01T00NMTUS	8024727102009	Ø 13,39 - Ø 11,02 x h. 2,05 in 	
	ACCESSORIES			
	6M CABLE KIT			
	DALI ACC00DAL0UNI000B0 CASAMBI ACC00CAI0220000A0			
 GRADIENT	LALSXL0GRD01T00NMTUS	8024727102023	Ø 13,39 - Ø 11,02 x h. 2,05 in 	
	ACCESSORIES			
	6M CABLE KIT			
	DALI ACC00DAL0UNI000B0 CASAMBI ACC00CAI0220000A0			
 PEWTER	LALSXL0PWT01T00NMTUS	8024727102047	Ø 13,39 - Ø 11,02 x h. 2,05 in 	
	ACCESSORIES			
	6M CABLE KIT			
	DALI ACC00DAL0UNI000B0 CASAMBI ACC00CAI0220000A0			
 WHITE	LALSXL0WHT01T00NMTUS	8024727102061	Ø 13,39 - Ø 11,02 x h. 2,05 in 	
	ACCESSORIES			
	6M CABLE KIT			
	DALI ACC00DAL0UNI000B0 CASAMBI ACC00CAI0220000A0			



LA LOLLO SUSPENSION **LARGE**


**Light Source:** 80W - 110~240 Vac/24 Vdc - 9.000 Lumen - 2.700 Kelvin - CRI >90, Integrated LED

**Dimmable:** Triac Trailing Edge

**Materials:** Lentiflex® / Lentiflex® with cold foil Opalflex®

**Weight:** net 8,82 lbs - gross 17,2 lbs

**Packaging:** 39,37 x 31,89 x h. 19,29 in



LA LOLLO SUSPENSION **MEDIUM**


**Light Source:** 40W - 110~130 Vac/24 Vdc - 4.600 Lumen - 2.700 Kelvin - CRI >90, Integrated LED

**Dimmable:** Triac Trailing Edge

**Materials:** Lentiflex® / Lentiflex® with cold foil Opalflex®

**Weight:** net 4,41 lbs - gross 10,58 lbs

**Packaging:** 21,65 x 21,26 x h. 17,32 in



LA LOLLO LINEAR **140**


**Light Source:** 110W - 110~240 Vac/24 Vdc - 12.420 Lumen - 2.700 Kelvin - CRI >90, Integrated LED

**Dimmable:** PWM, 0-10

**Materials:** Lentiflex® / Lentiflex® with cold foil / Opalflex®

**Weight:** net 15,43 lbs - gross 26,46 lbs

**Packaging:** 61,42 x 16,93 x h. 17,72 in



LA LOLLO LINEAR **100**


**Light Source:** 70W - 110~130 Vac/24 Vdc - 7.820 Lumen - 2.700 Kelvin - CRI >90, Integrated LED









**Dimmable:** Triac Trailing Edge













**Materials:** Lentiflex® / Lentiflex® with cold foil / Opalflex®

**Weight:** net 10,8 lbs - gross 15,43 lbs

**Packaging:** 48,03 x 13,78 x h. 14,57 in



FINISH	SIZE	PRODUCT CODE	EAN CODE	CANOPY DETAILS
 GOLD	L	LALS00GLD01T00NMTUS	8024727101545	 LARGE: Ø 6,3 x h. 1,38 in  MEDIUM: Ø 7,48 x h. 1,97 in
	M	LALSM00GLD01T00NMTUS	8024727101828	
	ACCESSORIES			
	6M CABLE KIT			
	DALI ACC00DAL0UNI000B0			
CASAMBI ACC00CAI0220000A0				
 GRADIENT	L	LALS00GRD01T00NMTUS	8024727101583	 LARGE: Ø 6,3 x h. 1,38 in  MEDIUM: Ø 7,48 x h. 1,97 in
	M	LALSM00GRD01T00NMTUS	8024727101903	
	ACCESSORIES			
	6M CABLE KIT			
	DALI ACC00DAL0UNI000B0			
CASAMBI ACC00CAI0220000A0				
 PEWTER	L	LALS00PWT01T00NMTUS	8024727101569	 LARGE: Ø 6,3 x h. 1,38 in  MEDIUM: Ø 7,48 x h. 1,97 in
	M	LALSM00PWT01T00NMTUS	8024727101804	
	ACCESSORIES			
	6M CABLE KIT			
	DALI ACC00DAL0UNI000B0			
CASAMBI ACC00CAI0220000A0				
 WHITE	L	LALS00WHT01T00NMTUS	8024727101521	 LARGE: Ø 6,3 x h. 1,38 in  MEDIUM: Ø 7,48 x h. 1,97 in
	M	LALSM00WHT01T00NMTUS	8024727101842	
	ACCESSORIES			
	6M CABLE KIT			
	DALI ACC00DAL0UNI000B0			
CASAMBI ACC00CAI0220000A0				

FINISH	SIZE	PRODUCT CODE	EAN CODE	CANOPY DETAILS
 GOLD	140	LALS3XLGLD01T00NMTUS	8024727102160	 140: Ø 10,04 x h. 1,97 in   100: Ø 5,51 x h. 1,77 in
	100	LALSXXLGLD01T00NMTUS		
	ACCESSORIES			
	6M CABLE KIT			
	DALI ACC00DAL0UNI000B0			
CASAMBI ACC00CAI0220000A0				
 GRADIENT	140	LALS3XLGRD01T00NMTUS	8024727102184	 140: Ø 10,04 x h. 1,97 in   100: Ø 5,51 x h. 1,77 in
	100	LALSXXLGRD01T00NMTUS	8024727102108	
	ACCESSORIES			
	6M CABLE KIT			
	DALI ACC00DAL0UNI000B0			
CASAMBI ACC00CAI0220000A0				
 PEWTER	140	LALS3XLPWT01T00NMTUS	8024727102221	 140: Ø 10,04 x h. 1,97 in   100: Ø 5,51 x h. 1,77 in
	100	LALSXXLPWT01T00NMTUS	8024727102122	
	ACCESSORIES			
	6M CABLE KIT			
	DALI ACC00DAL0UNI000B0			
CASAMBI ACC00CAI0220000A0				
 WHITE	140	LALS3XLWHT01T00NMTUS	8024727102207	 140: Ø 10,04 x h. 1,97 in   100: Ø 5,51 x h. 1,77 in
	100	LALSXXLWHT01T00NMTUS	8024727102146	
	ACCESSORIES			
	6M CABLE KIT			
	DALI ACC00DAL0UNI000B0			
CASAMBI ACC00CAI0220000A0				